

1/10




FIG.1




FIG.2

2/10




FIG.3




FIG.4

09895877 2/10

3/10




FIG.5




FIG.6

4/10




FIG.7

5/10




FIG. 8




FIG. 9




FIG. 10

6/10




FIG.11




FIG.12

7/10




FIG.13




FIG.14

8/10




FIG.15




FIG.16

9/10




FIG.17




FIG.18

10/10

DATE/TIME	ERROR MONOCHROMATIC CODE (COLOR)	NUMBER OF COPIES	ORIGINAL SIZE	OUTPUT SIZE	ONE-SIDED/ TWO-SIDED	ORIGINAL SUPPLY	NUMBER OF SUPPLY ORIGINALS (SELECTION)	SORT	FINISHING	CODED DATA (DECIMAL NUMBER)	CODED DATA (BASE-32 NUMBER)
POWER ON=100 WARM UP=101 KEEP IMAGE QUALITY=102 POSITIONING=103 COPY=201 PRINT=202 ERROR=300 MAINTENANCE CALL=301	00=JAM/ + LOCATION ETC.		AB=01 + SIZE NUMBER	AB=01 + SIZE NUMBER	0/1	MANUAL FEED=0 AUTOMATIC=1 PRINT=2	MANUAL FEED=0 CASSETTE NUMBER FOR CASSETTE	NORMAL=0 SORT=1 GROUP=2	NONE=0 STAPLE=1		
100										1000009210823	T3AJ36U7
101										101	35
102										102	36
103										103	37
201		0	03	03	0	0	1	1	0	201010303001100	5MQ5DR9GCG
202		1	04	04	1	1	5	2	1	202130404115211	5NQ0JEV00B
201		0	04	04	0	2	0	1	1	201050404020110	5MPA0UUNSE
300	0012									30000092112000012	QKKTJOP1500
201		0	03	03	0	0	1	1	0	201010303001100	5MQ5DR9GCG
...											
...											

FIG.19

	CODE VALUES AFTER SETTING AND ADJUSTMENT FOLLOWING DESCRIBED PRESCRIPTION										CODED DATA (DECIMAL NUMBER)	CODED DATA (BASE-32 NUMBER)
MOTOR SET VALUE	500	50	60	55	49	52					5005060554952	4HLADM68
READING POSITION CORRECTION VALUE	501	50	51	55	52						50150515052	1EMJ88BC
FIXING TEMPERATURE SETTING	502	50	60	70	81						50250607081	1EPIMQF9
γ CORRECTION VALUE	503	50	52	53	49						50350525349	1ESI02T5
COLOR SUPERPOSITION CORRECTION VALUE K	504	50	50	50	50						50450505050	1EVHB7AQ
COLOR SUPERPOSITION CORRECTION VALUE C	505	51	50	52	49						50551505249	1F2HLGB1
COLOR SUPERPOSITION CORRECTION VALUE M	506	53	52	48	50						50653524850	1F5IUSRI
COLOR SUPERPOSITION CORRECTION VALUE Y	507	48	50	51	50						50748505150	1F8DHF1U
REGISTRATION TIMING VALUE	508	50	53	52	51						50850535251	1FBER6QJ
...												
...												

FIG.20